



Government of Rajasthan  
Rajasthan State Health Society-NHM  
Swasthya Bhawan, Tilak Marg, Jaipur 302005

F.32(99)/NRHM/CSR/PCPNDT/Part-3/2659

Date: 21/09/2015

22/09/15

To  
District Appropriate Authority (PCPNDT)  
and District Collector, Rajasthan

Sub Division Appropriate Authority (PCPNDT)  
and Sub Divisional Officer, Rajasthan


District Nodal Officer (PCPNDT)  
and Chief Medical & Health Officer, Rajasthan

**Subject: Guidelines and specifications for the GPS to be attached with ultrasound sonography machine.**

**Ref.: The Hon'ble Rajasthan High Court, Jaipur directions dated 15.04.2015 in the matter of D.B. Civil Writ Petition (PIL.) No. 3270/2012 Sh. S.K.Gupta Versus Union of India & Others.**


With reference to the above cited subject, please find enclosed herewith the guidelines and technical specifications for the GPS to be attached with ultrasound sonography machine.

Encl: Guidelines, Specifications and Procedure.

  
(Naveen Jain)  
Chairman, State Appropriate  
Authority (PCPNDT) and Special  
Secretary, MH&FW

Copy for information and necessary actions to:-

1. PS to Chairperson, State Supervisory Board
2. PS to Joint Secretary (RCH), MoH&FW, GoI
3. PS to Vice Chairperson, State Supervisory Board
4. PS to Chairperson, State Appropriate Authority
5. PA to Director (PNDT), MoH&FW, GoI
6. PA to State Nodal Officer (PCPNDT)
7. PA to Project Director, PCPNDT
8. Addl. S.P., PCPNDT
9. Project Director (PCPNDT) and Incharge, State PCPNDT Cell
10. Health Manager, State PCPNDT Cell
11. All District PCPNDT Coordinators
12. All Manufacturer/Authorized Distributor/Authorized Dealer of USG Machines
13. All concerned
14. Consultant IT, NHM to upload on department website.

  
(Kishanaram Esharwal)  
Project Director, (PCPNDT) and  
Incharge, State PCPNDT Cell

## **GUIDELINES FOR THE GPS TO BE ATTACHED WITH ULTRASOUND SONOGRAPHY MACHINE**

In compliance of the Hon'ble Rajasthan High Court, Jaipur directions dated 15.04.2015 in the matter of D.B. Civil Writ Petition (PIL) No. 3270/2012 Sh. S.K.Gupta Versus Union of India & Others , the department issued "Circular-18" vide no. State PCPNDT Cell/LA/2015/809 dated 01.07.2015. Following clarifications/guidelines/roles & responsibilities and specifications of GPS are being, hereby, issued in reference to the Circular-18, page no. 2 and point no. 3.

### **Roles and Responsibilities**

#### **A) Manufacturer/Authorized Distributor/Authorized Dealer of the Ultrasound Sonography Machines:**

1. To ensure the installation of GPS as per enclosed specifications (Annexure-A)
2. To execute an agreement with the service provider of GPS for smooth operations of GPS.
3. To provide a copy of the above agreement to the Sonography Center Owner.
4. To provide the details viz website address, user-id, password and user-manual for the tracing/ online monitoring of USG machine to the concerned SDAA/ DAA/CM&HO cum DNO (PCPNDT), District PCPNDT Coordinator, SAA and Sonography Center Owner.
5. To keep the website functional 24 x 7 for anytime, anywhere access, for the tracing/ online monitoring of USG machine by the concerned SDAA/DAA/CM&HO cum DNO (PCPNDT), District PCPNDT Coordinator and SAA.
6. To submit the sale/ resale records of USG machine to concerned SDAA/DAA/CM&HO cum DNO (PCPNDT), District PCPNDT Coordinator and SAA. Also, the information should be submitted through IMPACT Software for real time information.
7. To submit an affidavit on non-judicial stamp of Rupees 10/- duly notarized for compliance of above roles & responsibilities to SDAA with a copy to CM&HO cum DNO (PCPNDT) and PD (PCPNDT) cum I/c State PCPNDT Cell.

#### **B) Sonography Center Owner:**

1. To ensure the installation of GPS as per enclosed specifications (Annexure-A)
2. To submit the installation report of sonography machine and GPS to CM&HO cum DNO (PCPNDT).
3. The installation report shall contain details viz the date of installation, name of the institution, Make/Model no./Serial no. of USG machine, Serial no. of GPS, IMEI no., SIM Company, SIM no., SIM Connection (pre/post paid), Self attested copy of CAF for SIM Connection.
4. To provide the details viz website address, user-id, password and user-manual for the tracing/ online monitoring of USG machine to concerned SDAA/DAA/ CM&HO cum DNO (PCPNDT), District PCPNDT Coordinator and SAA.
5. To ensure all payments/ recurring expenses to keep the GPS functional.
6. To ensure the jammer proof environment in and around the sonography center.
7. To get the contact details and support details of the service provider of GPS for smooth operations of GPS.



10. To maintain proper register for Service Engineer installation/ service visits and to keep records of complaints and services.
11. To submit an affidavit on non-judicial stamp of Rupees 10/- duly notarized for compliance of the above roles & responsibilities to SDAA with a copy to CM&HO cum DNO (PCPNDT) and PD (PCPNDT) cum I/c State PCPNDT Cell.

**C) Sub Division Appropriate Authority /District Appropriate Authority:**

1. To ensure the installation of GPS as per enclosed specifications (Annexure-A)
2. To inspect the sonography center and ensure intact sealing of GPS with USG machine to protect from tampering.
3. To ensure regular monitoring of the GPS using the website address, user-id, password, user-manual etc.
4. To monitor and analyze the information regularly through IMPACT Software.

**D) District Nodal Officer (PCPNDT) and Chief Medical & Health Officer (CM&HO):**

1. To ensure the installation of GPS as per enclosed specifications (Annexure-A)
2. To get copy of affidavit from Manufacturer/Authorized Distributor/Authorized Dealer of the USG Machines (A.7) and Sonography Center Owner (B.11).
3. To ensure regular monitoring of the GPS using the website address, user-id, password, user-manual etc.
4. To monitor and analyze the information regularly through IMPACT Software.

**E) Nodal Officer at State Headquarter Control Room:**

1. To ensure regular monitoring of all GPS attached with USG machines.
2. To monitor and analyze the information regularly through IMPACT Software.
3. To coordinate and communicate SMS/ Email alerts to the concerned CM&HO cum DNO (PCPNDT) and PD (PCPNDT) cum I/c State PCPNDT Cell.

**F) District PCPNDT Coordinator:**

1. To ensure the installation of GPS as per enclosed specifications (Annexure-A)
2. To ensure regular monitoring of all GPS attached with USG machines.
3. To monitor and analyze the information regularly through IMPACT Software.
4. To ensure proper management of documentation and records.
5. To coordinate and communicate SMS/ Email alerts to the concerned CM&HO cum DNO (PCPNDT) and SDAA.



## Annexure-A

Specification for the GPS to be attached with the ultrasound sonography machine, in compliance of the Hon'ble Rajasthan High Court, Jaipur directions dated 15.04.2015 in the matter of D.B. Civil Writ Petition (PIL) No. 3270/2012 Sh. S.K.Gupta Versus Union of India & Others.

### 1. Environmental

- Operating temperature: -20 to +70 °C
- Storage: -40 to +85 °C

### 2. Power supply

- Supply voltage range: 6 to 32V
- Storage: -40 to +85 °C
- Current consumption during transmission: less than 150mA
- Device should have internal battery (16– 24 hours backup) to support uninterrupted service.

### 3. GSM/GPRS

- Built-in GSM antenna: Quad Band
- 6MB flash memory for embedded application: 2MB RAM
- Frequency band: 850/1900 MHz and 900/ 1800 Mhz

### 4. GPS

- Built in antenna

### 5. Basic Features

General	SMS/ Email Alerts	Reports*
<ul style="list-style-type: none"><li>• Auto Track</li><li>• Historical Data</li><li>• Replay tracking</li><li>• User Creation</li><li>• Sub User Creation</li><li>• Current Location</li><li>• Minimum onsite warranty for 2 years</li></ul>	<ul style="list-style-type: none"><li>• Battery Disconnect</li><li>• Geo Fence In/Out</li><li>• Over speed Alerts</li><li>• No Data Transmission from last 24 hours</li><li>• Non Signal</li><li>• Low Battery</li><li>• Power Cut</li><li>• Installation</li></ul>	<ul style="list-style-type: none"><li>• User Log Report</li><li>• Current location Report</li><li>• Geo Fence In/Out Report</li><li>• SMS Utilization Report</li><li>• Over Speed Report</li><li>• No Data Transmission from last 24 hours Report</li><li>• Non Signal Report</li><li>• Low Battery Report</li><li>• Power Cut Report</li><li>• Installation Report</li><li>• Customized Reports</li></ul>


**Note(\*):** Data up to 60 days should be online traceable. All reports should be downloadable. All data should be kept in archive for the period of 2 years, in the event of any legal proceedings, the records shall be preserved as per the PCPNDT Act 1994 & Rules 1996, so that same can be retrieved on demand of concerned AA. Any other reports as per the demand of concerned AA.



## 6. Other Features

- Online website shall have the above mentioned features for anytime, anywhere real-time tracing/ monitoring of GPS.
- Mobile application for anytime, anywhere real-time tracing/ monitoring of GPS
- All SMS/ Email Alerts shall be configured to the Mobile Number & Email Address of State Headquarter Control Room.
- There shall not be any manual or remote operated On/Off switch button in the device including SMS/GPRS facility and functionality of device.
- The cost of GPS shall be inclusive of all taxes, duties, levies, service charges, TDS, Cesses, etc.

**Diagram showing GPS attached with USG machine and its tracking at Control Room**



**Procedure to be followed for GPS to be attached with the ultrasound sonography machine, in compliance of the Hon'ble Rajasthan High Court, Jaipur directions dated 15.04.2015 in the matter of D.B. Civil Writ Petition (PIL) No. 3270/2012 Sh. S.K.Gupta Versus Union of India & Others.**

1. Applicant shall submit the application for registration and affidavit to SDAA.
2. Application may be accepted (approved) or rejected (cancelled) as per the PCPNDT Act 1994 & Rules 1996.
3. If the application is accepted then the certificate of registration shall be issued to the applicant.
4. Sonography Centre Owner shall provide a copy of certificate of registration to Manufacturer/Authorized Distributor/Authorized Dealer of the USG Machines requesting for the supply, installation and commissioning of USG Machine and GPS.
5. Manufacturer/Authorized Distributor/Authorized Dealer shall ensure to attach the GPS (also to mark UNIQUE SNo. other than IMEI No.) with USG machine at their warehouse.
6. Manufacturer/Authorized Distributor/Authorized Dealer shall transport the USG machine to the registered sonography center.
7. The installation and commissioning activity of USG machine and GPS shall be performed at registered sonography center by the Service Engineer of Manufacturer/Authorized Distributor/Authorized Dealer.
8. CAF for SIM Connection shall be filled in the name of sonography center owner, as per the plan suggested/ advised by the service engineer for seamless connectivity so that real time status would be available to AA.
9. Service Engineer shall login to the website address and generate the test report/ SMS alert/ Email alert that the GPS is working and its current location is available (visible) on GPS website.
10. Service Engineer shall prepare the installation report of GPS with USG machine. The report contain the joint signature of Service Engineer and sonography center owner with the seal.
11. Concerned SDAA/ DAA shall do the intact of GPS with USG machine.
12. Website address and sufficient user-ids, passwords and user-manual would be provided to the concerned SDAA/DAA/SAA.
13. Sonography center owner shall submit the affidavit.
14. Manufacturer/Authorized Distributor/Authorized Dealer shall submit the affidavit.
15. Regular monitoring at State Headquarter Control Room by the Nodal Officer, at District by District PCPNDT Coordinator and at Sub Division by concerned staff.

**Note: Technical specifications and guidelines for the management and smooth operations of tracking devices (Active Tracker/ Silent Observer) issued vide no. 2244 dated 05/09/2014 shall remain unchanged.**



In case of any query, please contact:

<b>State Level:</b> Project Director (PCPNDT) and Incharge State PCPNDT Cell, Room No. 218, 2 <sup>nd</sup> Floor, Swasthya Bhawan, C-Scheme, Tilak Marg, Jaipur-302005 (Rajasthan), (O)0141-2221812	<b>District Level:</b> Concerned District Chief Medical & Health Officer cum District Nodal Officer (PCPNDT) And Concerned District PCPNDT Coordinator
--	--

**Abbreviations:**

1. AA – Appropriate Authority
2. CAF – Customer Application Form
3. CM&HO – Chief Medical & Health Officer
4. DAA – District Appropriate Authority
5. DNO (PCPNDT) – District Nodal Officer (PCPNDT)
6. GPRS – General Packet Radio Service
7. GPS – Global Positioning System
8. GSM – Global System for Mobile communication
9. I/c – Incharge
10. IMEI No. – International Mobile Equipment Identity Number
11. IMPACT – Integrated system for Monitoring of PCPNDT Act
12. PCPNDT – Pre-Conception & Pre Natal Diagnostic Techniques
13. PD (PCPNDT) – Project Director (PCPNDT)
14. SAA – State Appropriate Authority
15. SDAA – Sub Division Appropriate Authority
16. USG – Ultrasound Sonography

-x-x-x--End of document-x-x-x-





क्रमांक : रा0 पी0 प्र0/एल.ए/2015/

809

दिनांक : 1.7.15

## राजस्थान सरकार

निदेशालय चिकित्सा स्वास्थ्य एवं परिवार कल्याण सेवाएँ  
राज्य पी0सी0पी0एन0डी0टी0 सैल  
राजस्थान, जयपुर

### परिपत्र-18

माननीय उच्च न्यायालय, राजस्थान जयपुर पीठ में विचाराधीन प्रकरण डी.बी. सिविल रिट याचिका (PIL) संख्या 3270/2012 एस.के. गुप्ता बनाम यूनियन ऑफ इण्डिया व अन्य के प्रकरण में दिनांक 15.04.2015 को पारित आदेश की अनुपालना में दिनांक 30.04.2015 को अतिरिक्त महाधिवक्ता द्वारा सभी विभागों के प्रभारियों की बैठक आयोजित की गई है। उक्त बैठक के अनुक्रम में सभी पक्षकारों यथा, संबंधित राज्य सरकार के विभाग, जिला/उपखण्ड समुचित प्राधिकारी, जिला मुख्य चिकित्सा एवं स्वास्थ्य अधिकारी, समन्वयक जिला पीसीपीएनडीटी, सभी रजिस्टर्ड सोनोग्राफी केन्द्र मार्फत जिला नोडल अधिकारी, राज्य में सोनोग्राफी मशीन खरीदने व बेचने वाली कम्पनीयों को आदेश की प्रति निदेशालय राज्य पीसीपीएनडीटी प्रकोष्ठ के पत्र क्रमांक राज्य पीसीपीएनडीटी प्रकोष्ठ/2015/593 दिनांक 21.05.2015 के द्वारा पारित आदेश की प्रति संलग्न कर जरिए ई-मेल एवं डाक के माध्यम से आवश्यक कार्यवाही करने हेतु प्रेषित की जा चुकी है। माननीय न्यायालय के इस आदेश को संबंधित पक्षकारों की सुविधा के लिये विभागीय साइट ([www.rajswasthya.nic.in](http://www.rajswasthya.nic.in)) की पीसीपीएनडीटी साइट पर भी अपलोड किया गया है।

दिनांक 18.06.2015 को राज्य सलाहकार एवं समुचित प्राधिकारी की बैठक में माननीय न्यायालय के उक्त आदेशों की अनुपालना हेतु परिपत्र जारी करने की आवश्यकता महसूस की गई जिसकी अनुपालना में निम्नानुसार दिशा-निर्देश जारी कर संबंधित पक्षकारों से यह आग्रह किया जाता है कि इसकी अनुपालना अतिशीघ्र की जाये ताकि माननीय न्यायालय को आगामी तारीख पेशी पर अनुपालना रिपोर्ट पेश की जा सके।

बिन्दु संख्या 1:-

All the registered Medical Practitioners, authorized by amendment in rule 3(3) of the PCPNDT Rules of 1996 made in the year 2012, to carry out the sonography test, shall sign the sonography reports. The digital signatures will not be allowed. Each & every report will be accompanied with the photo copy or printed copy of the registration certificate of the PCPNDT clinic.

सोनोग्राफी करने हेतु अधिकृत चिकित्सक प्रत्येक रिपोर्ट पर स्वयं के हस्ताक्षर करेगा। डिजिटल हस्ताक्षर मान्य नहीं है तथा प्रत्येक सोनोग्राफी रिपोर्ट के साथ अपने पीसीपीएनडीटी रजिस्ट्रेशन की फोटो कॉपी संलग्न करेगा। जिलों में समुचित प्राधिकारी, जिला नोडल अधिकारी (पीसीपीएनडीटी) एवं मुख्य चिकित्सा एवं स्वास्थ्य अधिकारी तथा जिला पीसीपीएनडीटी समन्वयक यह कार्य सुनिश्चित करेंगे।



**बिन्दु संख्या 2:-**

Every sale of the ultrasound sonography machine whether static or portable under section 3(B) of the PCPNDT Act will be reported by the manufacturers to the State Appropriate Authority. The manufacturing companies and dealers will obtain sufficient proof of the registration or application for registration before sale of the machine. The reporting will also include the sale of the second hand ultrasound sonography machine with the proof of sale to be registered as PCPNDT Clinic. Every sale of machine in violation of these directions will be treated as unauthorized sale, on which the machine will be liable to be seized.

प्रत्येक सोनोग्राफी निर्माता कम्पनी अथवा सोनोग्राफी मशीन खरीदने व बेचने वाली कम्पनी/व्यक्ति राज्य में खरीदी व बेचने वाली मशीनो की रिपोर्ट पूर्व की भांति राज्य समुचित प्राधिकारी को प्रस्तुत करेगी तथा जिस केन्द्र/संचालक को मशीन खरीद अथवा बेच रही है उससे पूर्व उसका पीसीपीएनडीटी अधिनियम के तहत रजिस्ट्रेशन प्रमाण पत्र प्राप्त करेगी। जिलों में समुचित प्राधिकारी, जिला नोडल अधिकारी (पीसीपीएनडीटी) एवं मुख्य चिकित्सा एवं स्वास्थ्य अधिकारी तथा जिला पीसीपीएनडीटी समन्वयक यह कार्य सुनिश्चित करेंगे।

**बिन्दु संख्या 3:-**

A GPS will be required to be attached to check the location of the ultrasound sonography machine. Every manufacturer will install a GPS System at the time of sale of machine for tracing the location of the ultrasound sonography machine. The State Appropriate Authority will develop the technical knowhow of attaching a GPS on every machine within a period of three months. After three months, the sale of Ultrasound sonography machine without attaching GPS System will not be permitted.

प्रत्येक सोनोग्राफी मशीन निर्माता कम्पनी सोनोग्राफी मशीन को बेचने के दौरान जीपीएस प्रणाली लगाकर बेचेगा। माननीय न्यायालय के आदेश दिनांक 15.04.2015 से तीन महिनों (दिनांक 15.07.2015 तक) के बाद में कोई भी कम्पनी बिना जीपीएस प्रणाली लगाये मशीन राज्य में नहीं बेच सकेगी।

इस बाबत कम्पनी मालिक एवं सोनोग्राफी केन्द्र संचालक चिकित्सा एवं स्वास्थ्य विभाग में स्थापित कन्ट्रोल रूम में आवश्यक सूचना यथा समय उपलब्ध करावें। जिलों में समुचित प्राधिकारी, जिला नोडल अधिकारी (पीसीपीएनडीटी) एवं मुख्य चिकित्सा एवं स्वास्थ्य अधिकारी तथा जिला पीसीपीएनडीटी समन्वयक यह कार्य सुनिश्चित करेंगे।

**बिन्दु संख्या 4:-**

The active trackers installed on sonography machines are of no use until the control rooms are established. The State Government will ensure that sufficient number of control rooms is established and a nodal officer is appointed for continuous monitoring of control room servers.

एक्टिव ट्रैकर/साइलेंट ऑब्जरवर के प्रभावी क्रियान्वयन के लिये राज्य स्तर व जिला स्तर पर कन्ट्रोल रूम स्थापित किया जाये। राज्य स्तर पर कन्ट्रोल रूम के प्रभारी सलाहकार तकनीकी सूचना होंगे तथा जिला स्तर पर मुख्य चिकित्सा एवं स्वास्थ्य अधिकारी की देखरेख में

कन्ट्रोल रूम कार्य करेगा एवं सलाहकार पीसीपीएनडीटी कन्ट्रोल रूम के माध्यम से एक्टिव ट्रेकर/साइलेंट आबजर्वर की मॉनिटरिंग करेगा।

कन्ट्रोल रूम संचालन के लिये व्यय का वहन पीआईपी वित्तीय वर्ष 2015-16 में प्रस्तावित किया गया है, जिसके अनुमोदन प्राप्त होने पर आवश्यकतानुसार राशि आवंटित की जायेगी।

**बिन्दु संख्या 5:-**

The society at large has to be vigilant about the pernicious practice of female foeticide, which is conceived in secrecy and executed in deceit in connivance with the medical practitioners. The member of the society is given freedom to report these crimes to the State Appropriate Authority and the District Appropriate Authority. The complaints addressed to the District Magistrate or any other Appropriate Authority will be immediately reported to the State Appropriate Authority for taking steps. Wherever the complaints are found to be genuine, on making inspection, the complainant will be rewarded and for which the State Govt. will issue Appropriate Scheme within 3 months. The decoy operations will be encouraged and for which the State Govt. will issue guidelines for both carrying out the decoy operation and for rewarding the participants in the successful decoy operations.

- विभाग द्वारा इस बाबत 104 टोल फ्री मेडिकल सलाहकार सेवा पर भ्रूण लिंग परीक्षण की शिकायत दर्ज करने हेतु परिपत्र दिनांक 31.7.2014 को दिशा निर्देश जारी किये गये है इसका अत्यधिक प्रचार-प्रसार किया जाये।
- राज्य सरकार मुखबिर योजना के तहत ईनाम राशि 1 लाख रुपये से बढ़ाकर 2 लाख रुपये के आदेश दिनांक 30.04.2015 को जारी कर चुकी है। समस्त समुचित प्राधिकारी इस योजना का प्रचार-प्रसार करें।
- डिर्कोय ऑपरेशन करने हेतु नई गाईड लाइन शीघ्र जारी कर समुचित प्राधिकारी को भेजने की कार्यवाही की जा रही है।

**बिन्दु संख्या 6:-**

The State Govt. is requested to continue its efforts to encourage and expand the scope of the schemes for welfare of GIRL CHILD. The State Govt. has taken sufficient measures for public awakening, such as 'BADHAI SANDESH' on the birth of GIRL CHILD, involvement of various NGO's and Govt Organisations in 'BETI BACHAO BETI PADHAO' and in developing the 'ASHA SOFTWARE' for timely and seamless online payment under the various scheme to the beneficiary. The fall in the ratio of GIRL CHILD in the state of Rajasthan, however, requires the State Govt. to increase and expand the scope of the existing scheme and to initiate more schemes, for public awareness for protection of GIRL CHILD.


उक्त के संबंध में अतिरिक्त मुख्य सचिव, महिला एवं बाल विकास विभाग, प्रमुख शासन सचिव, शिक्षा विभाग, प्रमुख शासन सचिव, सामाजिक न्याय एवं अधिकारिता, राजस्थान उक्त बिन्दु के तहत आवश्यक कार्यवाही सुनिश्चित करें।

बिन्दु संख्या 7:-

The State Govt., NGO's, Charitable Societies and the School both Govt. and Private must be encouraged and given special grants to organize programmes for development of the Girl Child and awareness against female foeticide and female infanticide.

गैर सरकार संगठनों द्वारा कन्या भ्रूण हत्या व कन्या शिशू हत्या को रोकने के लिये प्रभावी कार्यवाही की जाये। इस बाबत भारत सरकार द्वारा पीआईपी में 2015-16 में धन राशि प्रदान करने हेतु प्रस्तावित किया गया है एनजीओ द्वारा जारी गाइड लाइन बजट प्राप्त होने पर जिलों को भिजया दिया जायेगा।


इस परिपत्र पर वैधानिक स्थिति उत्पन्न होने की दशा में माननीय उच्च न्यायालय द्वारा दिनांक 15.04.2015 के निर्देशन लागू होंगे।

  
(जितेंद्र जैन)  
विशेष शासन सचिव एवं  
मिशन निदेशक (एनएचएम)  
चिकित्सा, स्वास्थ्य एवं प० क० विभाग,  
राजस्थान जयपुर।

प्रतिलिपि निम्न को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है:-

1. निजी सचिव, अध्यक्ष केन्द्रीय पर्यवेक्षी. बोर्ड एवं माननीय चिकित्सा, स्वास्थ्य एवं परिवार कल्याण मंत्री महोदय, भारत सरकार।
2. निजी सचिव, अध्यक्ष राज्य पर्यवेक्षी बोर्ड एवं माननीय चिकित्सा, स्वास्थ्य एवं परिवार कल्याण मंत्री महोदय, राजस्थान सरकार।
3. डॉ० राकेश कुमार, संयुक्त शासन सचिव (आरसीएच), भारत सरकार स्वास्थ्य एवं परिवार कल्याण मंत्रालय, कमरा नम्बर-145 ए, निर्माण भवन, नई दिल्ली-110011
4. उप शासन सचिव, मुख्य सचिव, शासन सचिवालय, राजस्थान जयपुर।
5. प्रमुख शासन सचिव, स्वास्थ्य एवं परिवार कल्याण विभाग, राजस्थान जयपुर।
6. अतिरिक्त मुख्य सचिव, महिला एवं बाल विकास विभाग, राज० जयपुर को बिन्दु संख्या 6 हेतु पालनार्थ।
7. प्रमुख शासन सचिव, सूचना एवं प्रौद्योगिकी विभाग, राज० जयपुर को बिन्दु संख्या 3 एवं 4 हेतु पालनार्थ।
8. प्रमुख शासन सचिव, शिक्षा विभाग, राजस्थान जयपुर को बिन्दु संख्या 6 एवं 7 हेतु पालनार्थ।
9. प्रमुख शासन सचिव, पंचायती राज विभाग, राजस्थान जयपुर को बिन्दु संख्या 7 हेतु पालनार्थ।
10. प्रमुख शासन सचिव, विधि एवं विधिक कार्य विभाग, राजस्थान जयपुर।
11. प्रमुख शासन सचिव, सामाजिक न्याय एवं अधिकारिता विभाग, जयपुर को बिन्दु संख्या 6 एवं 7 हेतु पालनार्थ।
12. निदेशक, पीएनडीटी. (MOHFW) कमरा नम्बर 203-डी, निर्माण भवन, नई दिल्ली-110001
13. निदेशक (आईईसी) एवं अतिरिक्त मिशन निदेशक (एनएचएम), चिकित्सा एवं स्वास्थ्य सेवाएं, राजस्थान जयपुर।
14. निदेशक (जन स्वा०) चिकित्सा एवं स्वास्थ्य सेवाएं, राजस्थान जयपुर।

15. निदेशक (प०क०) चिकित्सा एवं स्वास्थ्य सेवाएं, राजस्थान जयपुर।
16. निदेशक, राज्य-स्वास्थ्य एवं परिवार-कल्याण संस्थान (SIHFW), राजस्थान जयपुर।
17. अतिरिक्त पुलिस अधीक्षक पीसीपीएनडीटी, चिकित्सा एवं स्वास्थ्य सेवाएं, राज, जयपुर।
18. समस्त लोक अभियोजक, विशिष्ट अपर न्यायिक मजिस्ट्रेट (पीसीपीएनडीटी प्रकरण), अजमेर, जोधपुर, कोटा, उदयपुर, जयपुर, बीकानेर एवं भरतपुर को मार्फत संबंधित जिला पीसीपीएनडीटी समन्वयक, राजस्थान।
19. समस्त जिला नोडल अधिकारी पीसीपीएनडीटी एवं मुख्य चिकित्सा एवं स्वास्थ्य अधिकारी, राजस्थान/समस्त जिला पीसीपीएनडीटी समन्वयक, राजस्थान द्वारा अब तक की गई अनुपालना रिपोर्ट से दिनांक 06.07.2015 को आयोजित "बेटी बचाओ अभियान प्रकोष्ठ" की बैठक में लाकर राज्य समुचित प्राधिकारी को अवगत करावें।
20. समस्त सोनोग्राफी कम्पनीयों को बिन्दु संख्या 3 व 4 हेतु पालनार्थ मार्फत जिला पीसीपीएनडीटी समन्वयक, राजस्थान।
21. मेनेजर, मेगनम ऑपस, विजन इण्डिया, एडवांस बायोमेडिक्स को बिन्दु संख्या-3 हेतु पालनार्थ।
22. समस्त सोनोग्राफी केन्द्र को बिन्दु संख्या 1, 2 एवं 3 हेतु पालनार्थ मार्फत जिला पीसीपीएनडीटी समन्वयक, राजस्थान।
23. सेन्ट्रल सर्वर रूम, मुख्यालय को बिन्दु संख्या 3 व 4 हेतु पालनार्थ एवं विभागीय वेबसाइट पर अपलोड करने बाबत।
24. संबंधित रक्षित पत्रायली।

  
 (डॉ० बी.के. माथुर)  
 निदेशक (प०क०),  
 चिकित्सा एवं स्वास्थ्य विभाग,  
 राजस्थान जयपुर।